

The Essentially Natural Domain (Pty) Ltd | Reg. No. 2014/170069/07
Unit 14, Duville Business Park, 8 Arum Lily Street, Durbanville, Cape Town, South Africa 7550
www.essentiallynatural.co.za (T) 021 976 9116 (E) support@essentiallynatural.co.za

| Certificate of<br>Analysis/ |                          |
|-----------------------------|--------------------------|
| Inspection Certific         | ate DIN EN 10204 3.1     |
| Material                    | DERMOFEEL AP             |
| Material No.                | 99128611                 |
| Spec. Code                  | KOO, STANDARD            |
| Lot                         | LT20100979               |
| Quantity                    | 2.00 KG                  |
| Date of Retest              | 21.09.2023               |
| Expiration Date             | 19.02.2025 (Requalified) |
|                             |                          |

| Parameter               | Method   | Limits                             | Value             | Unit |
|-------------------------|--|------------------------------------|-------------------|------|
| Appearance<br>Content   | GM_0117_01   | Almost white powder 98,00 – 100,00 | Conforms<br>98,00 | %    |
|                         |  |                                    |                   |      |
| Appearance              | Almost white   |                                    |                   |      |
| Product Form            | Powder   |                                    | 121               |      |
| Before sampling, produc | t must be homogeneous  |                                    |                   |      |
|                         | outes to the production of certifi<br>o the rules set out by RSPO Supp |                                    |                   |      |