

The Essentially Natural Domain (Pty) Ltd | Reg. No. 2014/170069/07
 Unit 14, Duville Business Park, 8 Arum Lily Street, Durbanville, Cape Town, South Africa 7550
www.essentiallynatural.co.za (T) 021 976 9116 (E) support@essentiallynatural.co.za

Inspection certificate
 according to EN10204-3.1

Date : 10/21/2022
 Page : 2 / 2

Material : Glycos TM Clear 70
 Material No. : 10009011686
 Batch No. : DEFM217623

Date of Manufacture: 09/27/2022
 Shelf life: 1,095 days

Test item/-method	Specification	Test result
Acetic acid PAQ 04-531, GC-FID	<= 100	29 mg/kg
Formaldehyde PAQ 04-535, photometry EN 120	<= 8	3 mg/kg
Iron PAQ 04-532, photometry	<= 5	1 mg/kg
Heavy metals (as Pb) PAQ 04-539, turbidimetry	<= 4	< 4 mg/kg
Pt/Co-scale (Hazen/APHA) PAQ 04-508 [ex-538], DIN ISO 6271	<= 20	11

On the batch, of which the consignment is a part, the following values were determined. They conform to the agreed product specification.

Test item/-method	Specification	Test result
Total acid as glycolic acid PAQ 04-533, acid/ base- titration	70.0 - 72.0	70.8 % [m/m]
Glycolic acid PAQ 04-533, acid/ base- titration	63.0 - 66.0	63.5 % [m/m]
Sodium chloride PAQ 04-537, argentometry	<= 0.10	0.04 % [m/m]
Formic acid PAQ 04-531, GC-FID	<= 20	3 mg/kg