

I n s p e c t i o n c e r t i f i c a t e
according to **EN10204-3.1**

Date: 2022.05.19
Page: 1 / 2

Your order from 2022.02.23

Order No. : PO109700
Delivery no./Pos. : 53328072 / 900001
Order : 15475918
Material : Genadvance Hydra 0050
Material-no. : 30295110602
Batch No. : DEG4593432
Quantity : 50,0 KG
Cont./Trailer - ID : slot 246547

On the batch, of which the consignment is a part, the following values were determined.

Inspection characteristic/-method	Specification	Result
Consistence at 25°C visual		Liquid
Transparency at 25°C visual		Nearly clear
Gardner color EN 1557	<= 4	4 [-]
Viscosity at 20°C ASTM D 7042	<= 1000	563 mPa·s
Water content Karl-Fischer DIN 51777	<= 0,40	0,14 %
Active content = 100% - water - glycerol - fatty alcohol - rizinoleic acid	>= 95	98 %

Date of production: 2022.04.12

Best before date: 2024.04.11

I n s p e c t i o n c e r t i f i c a t e
according to **EN10204-3.1**

Date: 2022.05.19
Page: 2 / 2

Material : Genadvance Hydra 0050
Material No. : 30295110602
Batch No. : DEG4593432

Inspection characteristic/-method	Specification	Result
--	----------------------	---------------

The above particulars do not release the customer from the obligation to carry out an inspection of goods received.

Helmut Madl (inspection representative)

This report does not require a signature.